



EFFECTIVE TIMING OF GASTRO AID SUPPLEMENTS

Give **Gastro Aid daily** on moments when the stomach is naturally the **most acidic**: early in the morning and late in the evening.



Around known risk moments such as **training, transport or competition**, use **Gastro Aid Paste** approximately **one hour before** for targeted support. This is especially relevant before exercise: as the graph shows, exercising on a relatively empty stomach can increase the acid challenge as stomach contents move and expose the less-protected upper part of the stomach.



TIMING MATTERS.



*Want to learn more?
Read our article.*



"I've been using Cavalor Gastro Aid Paste before all my major competitions. Within days, Barry was finishing his meals again – even at shows, which seldom happened before. Gastro Aid Paste has been a game changer for keeping him in top condition at the highest level."

Emily Hamel

International 5 * Eventing rider



"After a course of Cavalor Gastro Aid Paste, the improvement was remarkable. He became more relaxed to ride, jumped with much more confidence and felt happier overall. I kept him on Gastro Aid for the rest of the season and used Gastro Aid Paste before competitions. His best dressage score of the season followed shortly after."

David Llewellyn

Eventing rider



ULTIMATE STOMACH MANAGEMENT



**Prevention is key in keeping
the stomach healthy. Protect the
stomach, unlock performance.**

DISCOVER OUR GASTRO AID-RANGE



DID YOU KNOW?

60–90% of performance horses develop gastric ulcers during their career. Good nutrition, forage management and targeted buffering can significantly reduce the risk. Protect the stomach before problems start. Cavalor Gastro Aid products combine targeted buffering of excess stomach acid with ingredients that help protect the stomach lining, creating a healthier stomach environment.



GASTRO AID PASTE

- **In case of acute sensitivity:** start with 2 x 60 g / day for 6 days, follow up with 1 syringe/day for 6 days. After switch to liquid or powder.
- **Before challenging periods** (competition, travel etc): Give 1 syringe 1 hour before.

1

Buffer the acid

Gentiana lutea · Centaurium erythraea

Stimulate saliva, the stomach's natural buffer, helping neutralise excess acid before it reaches the wall.



GASTRO AID LIQ

- Give 2 x 30 ml per day. Can be mixed with the feed or given directly in the mouth with a syringe.

WHY GASTRO AID?



Protect the wall

Melissa officinalis · Glycyrrhiza glabra Zingiber officinale · ginger (Zingiber) · Tannin extracts

Shield the stomach lining, regulate gastric function and promotes a healthy stomach wall.

IS MEDICATION ALWAYS MORE EFFECTIVE?

Medication when needed. Nutrition every day. Medication plays an important role in treating diagnosed severe gastric ulcers, but long-term stomach health depends on daily nutritional support, buffering excess stomach acid and good management.



GASTRO AID

➤ Powder. Mix 2 x 15 g per day in the feed.

BACKED BY SCIENCE

Every ingredient
is chosen on the
strength of published
evidence.

3

Support digestion *Inactive yeast cultures*

Aid feed absorption and digestibility, supporting daily stomach balance and renewal.